

MATERIAL SAFETY DATA SHEET

THE HALLSTAR COMPANY

Section 1 - Identification of Substance and Company

Product Name: PLASTHALL® BBP

Product Code: 1609

Chemical Name: Butyl Benzyl Phthalate

Supplier: The HallStar Company ⁽¹⁾
120 S. Riverside Plaza Suite 1620
Chicago, IL 60606 PH: 877-427-4255
USA

HMIS
Health: 2
Flammability: 1
Reactivity: 0
Gloves & Safety Glasses

Emergency Phone Numbers: The HallStar Company (708) 594-5999
CHEMTREC (transportation) (800)424-9300

Section 2 - Information on Ingredients

<u>Chemical Name</u>	<u>CAS #</u>
1,2-Benzene dicarboxylic acid, butyl phenyl methyl ester	85-68-7

Section 3 - Hazard Identification

Appearance/Odor: Colorless liquid; mild odor.

Potential Health Effects

Skin Contact: Repeated or prolonged skin contact may cause skin irritation. May cause sensitization in susceptible persons.

Eye Contact: May cause slight eye irritation.

Ingestion: May irritate mouth, throat and stomach. May cause nausea, vomiting and dizziness.

Inhalation: May produce central nervous system depression.

Section 4 - First Aid Measures

Skin Contact: Immediately wash affected skin with soap and water. Seek medical attention if symptoms persist.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes. If irritation persists, consult a physician.

Ingestion: Seek medical advice.

Inhalation: Person should be moved to a fresh air environment.

Section 5 - Explosion and Fire-Fighting Measures

Flash Point (COC): 199°C

Extinguishing Media: CO₂, Dry Chemical, Water Fog, or Foam

Special Fire-Fighting Procedures: A MSHA/NIOSH approved self-contained breathing apparatus should be worn. Use water spray to cool fire-exposed containers.

Unusual Fire and Explosion Hazards: None

Section 6 - Accidental Release/Spill Procedures

Steps to be Taken in Case Material is Released or Spilled: Dike and contain the spill with inert material (i.e., sand, earth, sawdust) and transfer liquid and solid diking material to separate containers for recovery or disposal. Wash floor area with hot water solution. Remove contaminated clothing and wash before reuse. Wash affected skin areas with soap and water. Keep spills out of all sewers and bodies of water.

Section 7 - Handling and Storage

Any use of this product in an elevated temperature process should be evaluated to establish and maintain safe operating procedures.

Containers should be kept tightly closed and stored in a dry well-ventilated place

Section 8 - Personal Protection

Hand Protection:	Butyl rubber, nitrile or viton gloves - it is recommended that two pairs of dissimilar gloves be worn.
Respiratory Protection:	Use a NIOSH approved respirator with organic vapor cartridge when exposure to mists or vapors is anticipated.
Eye Protection:	Safety glasses
Engineering Measures:	For normal operation, local exhaust ventilation should suffice. Direct exhaust may be necessary when material becomes heated and vapors are given off or PEL is exceeded.
Other:	Eyewash facility in vicinity.

Section 9 - Physical and Chemical Properties

Boiling Point:	370°C	Specific Gravity:	1.113 - 1.121
Flash Point (COC):	199°C	Freezing Point:	Unknown
Vapor Density:	Unknown	Solubility in Water:	Unknown
Vapor Pressure (20°C):	Unknown	Viscosity (20°C):	60.0 mPa.s
Appearance/Odor:	Colorless liquid; mild odor		

Section 10 - Stability and Reactivity

Stability:	This product is stable under normal conditions.
Conditions to Avoid:	Oxidizers
Hazardous Polymerization:	Will not occur under normal circumstances.

Section 11 - Toxicological Information

Acute Toxicity:	
Oral LD-50: (rat)	20,400 mg/kg
Skin Irritation (guinea pig)	mild
Eye Irritation (human)	mild

Product Name: PLASTHALL® BBP

Section 12 - Ecological Information

Fish Toxicity:

LC-50 (rainbow trout - 96 hrs)	1 mg/l
LC-50 (fathead minnow - 96 hrs)	1-2mg/l
EC-50 (daphnia)	3 mg/l

Section 13 - Disposal Considerations

Waste Disposal Methods: Material should be disposed of in accordance to current local, state, and federal regulations. Contacting a waste disposal service is recommended.

Section 14 - Transport Information

Marine Pollutant: butylbenzyl phthalate

Reportable Quantity : 100 lbs.

DOT Name: Environmentally hazardous substances, liquid, n.o.s.

DOT Technical Name: (butylbenzyl phthalate)

DOT Class : 9

DOT ID Number : UN 3082

DOT Packing Group: III

Section 15 - Regulatory Information

Toxic Substances Control Act (TSCA): This product is in compliance with the TSCA regulation of the United States.

Domestic Substance List (DSL): This product is listed on the DSL inventory of Canada.

China Inventory of Existing Chemical Substances (IECSC): This product is listed on the IECSC Inventory of China

European Inventory of Existing Chemical Substances (EINECS): This product is listed on the EINECS inventory of Europe (#201-622-7).

Superfund Amendments and Reauthorization Act (SARA): This product has the following hazards as defined in Section 311/312 of 40 CFR Part 372:

Hazards

Acute Health Hazard

Chronic Health Hazard

California Proposition 65: This product contains the following substances known to the State of California to cause cancer, birth defects, or other reproductive harm per the Safe Drinking Water and Toxic Enforcement Act of 1986:

Ingredients

Butyl benzyl phthalate

Product Name: PLASTHALL® BBP

Section 16 - Other Information

Prepared By: DCU

Revision Date: 05/11

Supersedes: 06/07

All information is presented in good faith using available information. The HallStar Company makes no representation of the accuracy or completeness of the information. The user should consider this information as a supplement to other information that may be available. User should also determine suitability of information in their situation to determine proper use and disposal, protection of persons and the environment.

⁽¹⁾ Affiliated companies include RTD*HallStar Company, HallStar Solutions Corp., Ester Solutions Company, Memphis Solutions Company and Marine Magnesium & Minerals Company.