## Barium Iron Oxide Nanoparticles (BaFe12O19)

MTI Corporation Inc.
Material Safety Data Sheet

acc. to OSHA and ANSI

	1 Identification of substance:		
	Product details:		
	Product name: Barium dodecairon nonadecaoxide		
	Stock number: US3810		
	Manufacturer/Supplier:		
	MTI Corporation Inc. 860 South 19th Street Richmond, CA 94804 USA www.mtixtl.com		
	2 Composition/Data on components:		
П	Chemical characterization:		
Ц			
	Description: (CAS#) Barium dodecairon nonadecaoxide (CAS# 12047-11-9), 99.5%		
	Identification number(s):		
□ EINECS Number: 234-387-4			
□ EU Number: 056-002-00-7			
	3 Hazards identification		
	The said describbles. We have full		
	Hazard description: Xn Harmful		
	Information pertaining to particular dangers for man and environment		
	R 20/22 Harmful by inhalation and if swallowed. Classification system		
	HMIS ratings (scale 0-4)		
	(Hazardous Materials Identification System)		
	<pre>Health (acute effects) =</pre>		
	3 Flammability = 0		
	Reactivity = 2		

## 4 First aid measures □ After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. □ After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. □ After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. □ **After swallowing** Seek immediate medical advice. 5 Fire fighting measures Suitable extinguishing agents Product is not flammable. Use fire fighting measures that suit the surrounding fire. Special hazards caused by the material, its products of combustion or resulting gases: In case of fire, the following can be released: Barium oxide □ Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures □ Person-related safety precautions: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation □ Measures for environmental protection: Do not allow material to be released to the environment without proper governmental permits. □ Measures for cleaning/collecting: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. □ Additional information: See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.
7 Handling and storage
Handling
Information for safe handling:
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.  Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
The product is not flammable
Storage
No special requirements.  Information about storage in one common storage facility:
Do not store together with acids.
Further information about storage conditions:
Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.
8 Exposure controls and personal protection
Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals
and having an average face velocity of at least 100 feet per minute.
Components with limit values that require monitoring at the workplace:
Barium, and soluble compounds, as Ba mg/m3
ACGIH TLV 0.5; Not classified as a human carcinogen
Austria MAK 0.5
Belgium TWA 0.5 Denmark TWA 0.5
Finland TWA 0.5
Germany MAK 0.5 (total dust)
Hungary 0.5-STEL
Ireland TWA 0.5
Korea TLV 0.5
Netherlands MAC-TGG 0.5
Norway TWA 0.5
Poland TWA 0.5; 1.5-STEL
Sweden TWA 0.5

	Switzerland MAK-W 0.5				
	United Kingdom LTEL 0.5				
	USA PEL 0.5				
	Additional information: No data				
	Personal protective equipment				
	General protective and hygienic	mea	sures		
	The usual precautionary measures	for	handling chemicals should		
	be followed.				
	Keep away from foodstuffs, bev	_			
	Remove all soiled and contaminated				
Wash hands before breaks and at the end of work.					
	Breathing equipment: Use suitable respirator when h	iah	concentrations are present		
П	Protection of hands: Impervious	_	<del>-</del>		
	Eye protection: Safety glasses	910	Ves		
	Body protection: Protective wor	k cl	othing.		
			-		
	9 Physical and chemical proper	ties:			
	General Information				
	General Information  Form: Powder				
	Form: Powder				
	Form: Powder Color: Dark brown				
	Form: Powder	Va	lue/Range Unit Method		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition	Va.	-		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range:		1300 ° C		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition		1300 ° C		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not	1300 ° C determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not	1300 ° C determined determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not	1300 ° C determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point:	Not Not Not	1300 ° C determined determined applicable		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not Not	1300 ° C determined determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point:	Not Not Not	1300 ° C determined determined applicable determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:  Flash point:  Ignition temperature:  Decomposition temperature:	Not Not Not	1300 ° C determined determined applicable determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:  Flash point:  Ignition temperature:  Decomposition temperature: Danger of explosion:	Not Not Not Not	1300 ° C determined determined applicable determined determined determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:  Flash point:  Ignition temperature:  Decomposition temperature: Danger of explosion:  Product does not present an e	Not Not Not Not	1300 ° C determined determined applicable determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:  Flash point:  Ignition temperature:  Decomposition temperature:  Danger of explosion:  Product does not present an e  Explosion limits:	Not Not Not Not	1300 ° C determined determined applicable determined determined ion hazard.		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:  Flash point:  Ignition temperature:  Decomposition temperature: Danger of explosion:  Product does not present an e	Not Not Not Not	1300 ° C determined determined applicable determined determined determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:  Flash point:  Ignition temperature:  Decomposition temperature:  Danger of explosion:  Product does not present an e  Explosion limits:	Not Not Not Not	1300 ° C determined determined applicable determined determined ion hazard.		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:  Flash point:  Ignition temperature:  Decomposition temperature: Danger of explosion:  Product does not present an e  Explosion limits: Lower:	Not Not Not Not xplos	1300 ° C determined determined applicable determined determined ion hazard. determined		
	Form: Powder  Color: Dark brown Odor: Not determined  Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:  Flash point:  Ignition temperature:  Decomposition temperature: Danger of explosion:  Product does not present an e  Explosion limits: Lower:	Not Not Not Not xplos	1300 ° C determined determined applicable determined determined ion hazard. determined		

	Density: at 20 ° C 5.4 g/cm³ Solubility in / Miscibility with
	Water: Insoluble
1	lO Stability and reactivity
]	Thermal decomposition / conditions to be avoided:  Decomposition will not occur if used and stored according to specifications.  Materials to be avoided: Acids  Dangerous reactions No dangerous reactions known  Dangerous products of decomposition: Barium oxide
	Acute toxicity:  Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Subacute to chronic toxicity: Barium compounds may cause severe gastroenteritis, including abdominal pain, vomiting and diarrhea, tremors, faintness, paralysis of the arms and legs, and slow or irregular heartbeat. Severe cases may produce collapse and death due to respiratory failure. Soluble barium compounds are more likely to cause these effects than insoluble compounds. Inhalation of fumes may cause sore throat, coughing, labored breathing, and irritation of the respiratory tract as well as the above symptoms.  Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
	General notes:  Do not allow material to be released to the environment without proper governmental permits.

13 <u>Disposal consideration</u>	ons
□ Product:	
□ Recommendation	
Consult state, local	or national regulations to ensure
proper disposal.	
$\ \square$ Uncleaned packagings:	
□ Recommendation:	
Disposal must be made	according to official regulations.
14 Transport information	<u>n</u>
□ DOT regulations:	
☐ Hazard class:	6.1
<pre>    Identification number:</pre>	UN1564
□ Packing group:	III
$_{ m oxed}$ Proper shipping name	
	Barium compounds, n.o.s., barium
dodecairon	nonadecaoxide
☐ Land transport ADR/RID	(cross-border)
☐ ADR/RID class:	6.1 Toxic substances
□ Item:	60c
Danger code (Kemler):	15.64
UN-Number:	1564
Description of goods:	Barium compounds, n.o.s., barium dodecairon
	nonadecaoxide
☐ Maritime transport IMDG:	
□ IMDG Class: □ UN Number:	6.1
□ UN Number: □ Packaging group:	1564 III
	Barium compounds, n.o.s., barium dodecairon
_ llopel onipping name.	-
	nonadecaoxide
Air transport ICAO-TI	
□ ICAO/IATA Class: □ UN/ID Number:	6.1 1564
<pre>UN/ID Number:     Packaging group:</pre>	III
	Barium compounds, n.o.s., barium dodecairon
	-
	nonadecaoxide
□ 15 Regulations	
<del>Negatactons</del>	

- □ Product related hazard informations:
- ☐ **Hazard symbols:** Xn Harmful
- $\square$  Risk phrases: 20/22 Harmful by inhalation and if swallowed.
- □ Safety phrases:

28 After contact with skin, wash immediately with plenty of water

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

□ Information about limitation of use

For use only by technically qualified individuals. This product contains barium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

## 16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.