# **Radioactive Material Safety Data Sheet**

This data sheet presents information on radioisotopes only.

For information on chemical compounds incorporating this radionuclide, see the relevant Material Safety Data Sheet.

# Radium-226

#### Part 1 - Radioactive Material Identification

Chemical Symbol: Ra-226 or <sup>226</sup>Ra Common Names: Radium-226

Atomic Number: Mass Number: 226 (138 neutrons)

Radium bromide or A pellet or solution housed within a **Chemical Form: Physical Form:** 

radium chloride ceramic outer-housing.

#### Part 2 - Radiation Characteristics

Physical half-life: 1,603 years Specific Activity (GBq/g): 36.6

Principle Emissions	<sup>E</sup> Max (keV)	<sup>E</sup> eff (keV)	Dose Rate (m6v/h/GBq at 1m)	Shielding Required
Beta* (β)	-	-	-	-
Gamma (γ) / X-Rays	186 (32.8%)	-	3.3 <sup>a</sup>	HVL Lead: 0.04 cm
Alpha (α)	4,785 (94.6%)	-	-	-
Neutron (n)	-	-	-	-

<sup>\*</sup> Where Beta radiation is present, Bremsstrahlung radiation will be produced. Shielding may be required.

Progeny: Radon-222 (Ra-222)

#### Part 3 – Detection and Measurement

#### Methods of detection (in order of preference)

- 1. A radiation survey meter equipped with an energy-compensated Geiger Mueller detector.
- 2. A radiation contamination monitor equipped with a Geiger-Mueller pancake detector.
- 3. An ZnS(Ag) alpha scintillation detector must be calibrated to a radium-226 standard before used for a dose assessment survey.

Note: Only emissions with abundance greater than 10% are shown.

<sup>a</sup> The Health Physics and Radiological Health Handbook, Scintra, Inc., Revised Edition, 1992

# **Dosimetry**

Whole Body	$\overline{\checkmark}$	Skin		Extrem	ity		Neutron		
Internal:		Sealed sources pose no internal radiation hazard. However, in the event of loss of containment by the sealed source, all precautions should be taken to prevent inhalation or ingestion of the material.							
Critical Organ(s):		Bone tissu	ıe						
Annual dose limits:		Non-nuclear energy workers: 1mSv per year							
		Nuclear energy worker		ergy workers:	a) 50 mSv in one year				
					b)	100 mSv	total over five y	ears	
		Pregnan	t nuclear ene	ergy workers:	4 mSv over the balance of the pregnance		ancy		

# Part 4 - Preventive Measures

Always use the principles of time, distance and shielding to minimize dose

Engineering Controls: Sealed radioactive sources used in industrial applications should always be within a protective source housing to minimize radiation dose and to protect the source capsule from damage.

Personal Protective Equipment (for normal handling of unsealed sources only. Always wear disposable gloves, safety glasses, personal protective equipment and clothing as appropriate to the material handled).

No special PPE required.

Special Storage Requirements: None

# Part 5 - Control Levels

Oral Ingestion	Inhalation			
ALI (kBq)	ALI (kBq)	DAC (Bq/ml)		
74	22.2	1.11 x 10 <sup>-5</sup>		
Exemption Quantity (EQ):	10,000 Bq			

# Part 6 - Non-Radiological Hazards

None identified at this time.

OSHA Permissible Exposure Limit (PEL)

No limit set at this time

# Part 7 - Emergency Procedures

The following is a guide for first responders. The following actions, including remediation, should be carried out by qualified individuals. In cases where life-threatening injury has resulted, **first** treat the injury, **second** deal with personal decontamination.

#### **Personal Decontamination Techniques**

- Wash well with soap and water and monitor skin
- Do not abrade skin, only blot dry
- Decontamination of clothing and surfaces are covered under operating and emergency procedures

#### Spill and Leak Control

- Alert everyone in the area
- Confine the problem or emergency (includes the use of absorbent material)
- Clear area
- Summon Aid

# **Damage to Sealed Radioactive Source Holder**

- Evacuate the immediate vicinity around the source holder
- Place a barrier at a safe distance from the source holder (min. 5 meters)
- Identify area as a radiation hazard
- Contact emergency number posted on local warning sign

#### **Suggested Emergency Protective Equipment**

- Gloves
- Footwear Covers
- Safety Glasses
- Outer layer or easily removed protective clothing (as situation requires)

Revision Date: December 17, 2001

This information was prepared by: Stuart Hunt & Associates Ltd.

20 Rayborn Crescent St. Albert, Alberta

T8N 5C1

Phone: (780) 458-0291 or (800) 661-4591

Fax: (780) 459-0746 Web site: www.stuarthunt.com