



**Cerilliant®**

Analytical Reference Standards

a SIGMA-ALDRICH company

## Material Safety Data Sheet

Version 5.2

Revision Date 12/06/2012

Print Date 04/24/2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Atomoxetine HCl

Product Number : A-095

Brand : Cerilliant

Supplier : Cerilliant Corporation  
811 Paloma Drive, Suite A  
Round Rock, TX 78655

Telephone : 1 800 848 7837

Fax : 1 800 654 1458

Emergency Phone # : (512) 238-9974

Preparation Information : Sigma-Aldrich Corporation  
Product Safety - Americas Region  
1-800-521-8956

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

##### Target Organs

Eyes, Kidney, Liver, Heart, Central nervous system

##### GHS Classification

Flammable liquids (Category 2)

Acute toxicity, Oral (Category 3)

Acute toxicity, Inhalation (Category 3)

Acute toxicity, Dermal (Category 3)

Specific target organ toxicity - single exposure (Category 1)

##### GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H225

Highly flammable liquid and vapour.

H301 + H311 + H331

Toxic if swallowed, in contact with skin or if inhaled

H370

Causes damage to organs.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280

Wear protective gloves/ protective clothing.

P301 + P310

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P307 + P311

IF exposed: Call a POISON CENTER or doctor/ physician.

#### NFPA Rating

Health hazard:

2

Fire:

3

Reactivity Hazard:

0

#### Potential Health Effects

Inhalation

May be harmful if inhaled. May cause respiratory tract irritation.

Skin

May be harmful if absorbed through skin. May cause skin irritation.

**Eyes**  
**Ingestion**

May cause eye irritation.  
May be harmful if swallowed.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component           |                       | Classification  | Concentration |
|---------------------|-----------------------|---|---------------|
| <b>Methanol</b>     |                       |   |               |
| CAS-No.             | 67-56-1               | Flam. Liq. 2; Acute Tox. 3;<br>STOT SE 1; H225, H301 +<br>H311 + H331, H370 | 90 - 100 %    |
| EC-No.              | 200-659-6             |   |               |
| Index-No.           | 603-001-00-X          |   |               |
| Registration number | 01-2119433307-44-XXXX |   |               |

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

---

### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

### 5. FIREFIGHTING MEASURES

#### Conditions of flammability

Not flammable or combustible.

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

#### Further information

Use water spray to cool unopened containers.

---

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

---

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: -20 °C

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components | CAS-No.  | Value | Control parameters   | Basis  |
|------------|--|-------|----------------------|--|
| Methanol   | 67-56-1  | TWA   | 200 ppm              | USA. ACGIH Threshold Limit Values (TLV)  |
| Remarks    | Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption |       |                      |  |
|            |  | STEL  | 250 ppm              | USA. ACGIH Threshold Limit Values (TLV)  |
|            | Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption |       |                      |  |
|            |  | TWA   | 200 ppm<br>260 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |
|            | Skin notation  |       |                      |  |
|            |  | STEL  | 250 ppm<br>325 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |
|            | Skin notation  |       |                      |  |
|            |  | TWA   | 200 ppm<br>260 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
|            | The value in mg/m3 is approximate.   |       |                      |  |
|            |  | TWA   | 200 ppm<br>260 mg/m3 | USA. NIOSH Recommended Exposure Limits   |
|            | Potential for dermal absorption  |       |                      |  |
|            |  | ST    | 250 ppm<br>325 mg/m3 | USA. NIOSH Recommended Exposure Limits   |
|            | Potential for dermal absorption  |       |                      |  |

### Personal protective equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin and body protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Hygiene measures**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES****Appearance**

|        |                   |
|--------|-------------------|
| Form   | liquid            |
| Colour | no data available |

**Safety data**

|  |  |
|--|--|
| pH                                     | no data available  |
| Melting point/freezing point           | no data available  |
| Boiling point                          | 64 - 65 °C (147 - 149 °F) at 1.013 hPa (0.760 mmHg)<br>64 - 65 °C (147 - 149 °F) at 1.013 hPa (0.760 mmHg) |
| Flash point                            | 9.7 °C (49.5 °F) - closed cup<br>9.7 °C (49.5 °F) - closed cup   |
| Ignition temperature                   | no data available  |
| Auto-ignition temperature              | no data available  |
| Lower explosion limit                  | 6 %(V)<br>6 %(V)   |
| Upper explosion limit                  | 36 %(V)<br>36 %(V)   |
| Vapour pressure                        | no data available  |
| Density                                | 0.791 g/cm <sup>3</sup> at 20 °C (68 °F)<br>0.791 g/cm <sup>3</sup> at 20 °C (68 °F)                       |
| Water solubility                       | no data available  |
| Partition coefficient: n-octanol/water | no data available  |
| Relative vapor density                 | no data available  |
| Odour                                  | no data available  |
| Odour Threshold                        | no data available  |
| Evaporation rate                       | no data available  |

---

**10. STABILITY AND REACTIVITY****Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

no data available

**Conditions to avoid**

Heat, flames and sparks. Extremes of temperature and direct sunlight.

**Materials to avoid**

Acids, Oxidizing agents, Alkali metals, Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, Reducing agents, Strong reducing agents, Phosphorus halides

**Hazardous decomposition products**

Other decomposition products - no data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides

---

**11. TOXICOLOGICAL INFORMATION****Acute toxicity****Oral LD50**

no data available

**Inhalation LC50**

no data available

**Dermal LD50**

no data available

**Other information on acute toxicity**

no data available

**Skin corrosion/irritation**

no data available

**Serious eye damage/eye irritation**

Eyes: no data available

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity**

no data available

**Teratogenicity**

no data available

**Specific target organ toxicity - single exposure (Globally Harmonized System)**

no data available

**Specific target organ toxicity - repeated exposure (Globally Harmonized System)**

no data available

**Aspiration hazard**

no data available

**Potential health effects****Inhalation**

May be harmful if inhaled. May cause respiratory tract irritation.

**Ingestion**

May be harmful if swallowed.

**Skin**

May be harmful if absorbed through skin. May cause skin irritation.

**Eyes**

May cause eye irritation.

**Signs and Symptoms of Exposure**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion.

**Synergistic effects**

no data available

**Additional Information**

RTECS: Not available

---

**12. ECOLOGICAL INFORMATION****Toxicity**

no data available

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**PBT and vPvB assessment**

no data available

**Other adverse effects**

no data available

---

**13. DISPOSAL CONSIDERATIONS****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****DOT (US)**

UN number: 1230 Class: 3 Packing group: II

Proper shipping name: Methanol, solution

Reportable Quantity (RQ): 5005 lbs

Marine Pollutant: No

Poison Inhalation Hazard: No

**IMDG**

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D

Proper shipping name: METHANOL, SOLUTION

Marine Pollutant: No

**IATA**

UN number: 1230 Class: 3 (6.1) Packing group: II

Proper shipping name: Methanol, solution

---

**15. REGULATORY INFORMATION****SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Methanol

CAS-No.  
67-56-1

Revision Date  
2007-07-01

**Massachusetts Right To Know Components**

Methanol

CAS-No.  
67-56-1

Revision Date  
2007-07-01

**Pennsylvania Right To Know Components**

Methanol

CAS-No.  
67-56-1

Revision Date  
2007-07-01

**New Jersey Right To Know Components**

Methanol

CAS-No.  
67-56-1

Revision Date  
2007-07-01

**California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

**16. OTHER INFORMATION**

**Text of H-code(s) and R-pharse(s) mentioned in Section 3**

|                    |  |
|--------------------|--|
| Acute Tox.         | Acute toxicity   |
| Flam. Liq.         | Flammable liquids                                      |
| H225               | Highly flammable liquid and vapour.                    |
| H301 + H311 + H331 | Toxic if swallowed, in contact with skin or if inhaled |
| H370               | Causes damage to organs.                               |
| STOT SE            | Specific target organ toxicity - single exposure       |

**Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.